

Technical drawing of a FAGOR machine component, showing a side view and a cross-section view.

The side view shows a long, rectangular component with a total length of 1942 [CM+302]. The main body length is 1880 [CM+240]. The component is divided into sections with various dimensions: 31, 7, 76, 4.75, 25, 4.75, 45, 37, 86.5, and 31. The cross-section view shows a rectangular profile with a width of 65±0.5 and a height of 79±0.5. The cross-section is labeled B-B.

The cross-section view shows a rectangular profile with a width of 65±0.5 and a height of 79±0.5. The cross-section is labeled B-B. The profile includes a central slot with a width of 25±0.5 and a depth of 10±0.5. The profile is divided into sections with various dimensions: 44, 33, 25, 40, 90, 1640 [CM], 9.51, 45, 37, 86.5, and 31.

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G
1600 ±0.15 [rx200]	±0.3 A
200 ±0.15	±0.3 G
1640 [CM]	±0.3 A

The drawing also includes a table with dimensions and tolerances:

Dimension	Tolerance
65±0.5	±0.05
79±0.5	±0.1 G
25±0.5	±0.3 A
10±0.5	±0.3 G

The drawing includes a table with dimensions and tolerances:

Dimension	Tolerance
1942 [CM+302]	±0.05
1880 [CM+240]	±0.1 G